

# WS Basics

## 4.14 Arrow Function in WS

Now, Liquid UI supports the Arrow Functions, which was introduced in ECMAScript 6. It provides an alternative way to create functions. Using arrow functions, you can minimize the code with shorter function syntax. In this function, you can make the parentheses optional in case of using only one expression.

### Pre-requisites:

- Liquid UI WS
- Liquid UI Server v3.5.600.0 and above
- Webscript.dll v1.1.196.0 and above

### Syntax:

#### Regular function

```
var z_input= function(x, y){  
  return x * y;  
}
```

#### Arrow Function

```
var z_input= (x, y) => { return x *  
  y };
```

Here, you don't need the function keyword, the return keyword, and the curly brackets.

```
// In case of only one expression,  
parentheses  
are optional  
var z_input= (x, y) => x * y;
```

### Arrow Function with Parameter

Arrow Function also returns an object. Here, the body of the function encloses with parentheses to distinguish between a block and an object.

//Create this file inside your script folder for adding functionality to the SAP Easy Access Screen: SAPLSMTR\_NAVIGATION.E0100.sjs

```
del("X[IMAGE_CONTAINER]");  
inputfield([1,0],{"name":"z_username", "size":21, "nolabel":true});  
Displayuser=param=> "S: "+"Welcome"+param.user;  
pushbutton([1,23], "@0V@Submit", {  
  "process":Displayuser, "using":{"user":z_username}});
```

### Arrow function with 'this' functionality

In Arrow Functions, handling this is also different when compared to regular  
Page 1 / 2

# WS Basics

functions. In regular functions, this keyword represents the object that calls the function, which could be either a window, a document, a button, or whatever. Whereas in arrow functions, this keyword always represents the object that defines the arrow function.

//Create this file inside your script folder for adding functionality to the SAP Easy Access Screen: SAPLSMTR\_NAVIGATION.E0100.sjs

```
del("X[IMAGE_CONTAINER]");
Samplefunc={()=>this;
//On the SAP Easy Access screen, click on "Test this keyword" pushbutton. This will display "[Object global]" on the Status Bar.
pushbutton([1,1],"Test this keyword",{ "process":Samplefunc});
```

Unique solution ID: #2315  
Author: sarvani.kusuri@guixt.com  
Last update: 2023-01-10 05:13