

# Offline Help Files

## 6.04.05.04 JListControl

The JListControl is used to create and manipulate Offline screen list controls. It constructs a new list control using the caption, row number and position information. The syntax is as follows:

```
JListControl(strCaption,iRowNum,iRow,iLeft,iBottom,iRight);
```

An example of a new JListControl is shown below:

```
objListControl = new JListControl(strCaption,iRowNum,iRow,iLeft,iBottom,iRight);
```

The JListControl is associated with the following methods.

### **SetColumnAttributes**

This method sets the attributes for the list control's columns, including title, field names, length, type, width, and state. The syntax is as follows:

```
JListControl.SetColumnAttributes(strTitle,strFieldName,iLength,iType,iWidth,iState);
```

An example is as follows:

```
objListControl.SetColumnAttributes(strTitle,strFieldName,iLength,iType,iWidth,iState);
```

### **SetCellData**

This method sets the values for the table cells. Values set are the row, column and actual value contained in the cell. The syntax is as follows:

```
JListControl.SetCellData(row,col,strValue);
```

An example is as follows:

```
objListCon
```

# Offline Help Files

## GetCellData

This method is used to get the data values from a given cell in a list control. There are two possible syntaxes - using the row and column values or using the row and field name. These are both shown below:

```
JListControl.GetCellData(iRow,iCol);  
JListControl.GetCellData(iRow,strFieldName);
```

Examples are as follows:

```
strValue = objListControl.GetCellData(1,2);  
strValue = objListControl.GetCellData(1,"field_name");
```

## GetColNumber

This method returns the number of columns in a given table control. The syntax is as follows:

```
JListControl.GetColNumber();  
  
trol.SetCellData(1,2,"value");
```

## SetRowRange

This method defines how many rows of a given table should display on a screen. The syntax is as follows:

```
JListControl.GetColFieldName(iStartRow,iEndRow);
```

An example is below:

```
objListControl.SetRowRange(1,10);
```

# Offline Help Files

## GetSelectedRow

This method returns the selected row in a list control. The syntax is as follows:

```
JTableControl.IsRowSelected( );
```

An example is shown below:

```
bSelected = objTableControl.IsRowSelected();
```

## RemoveControl

This method removes a given list control from a screen. The syntax is as follows:

```
JListControl.RemoveControl( );
```

An example is shown below:

```
objListControl.RemoveControl();
```

Unique solution ID: #2099

Author: sarvani.kusuri@guixt.com

Last update: 2021-06-03 18:43