

# WS Introduction

## 1.5 WS Comparison Table

Liquid UI for SAP GUI enables you to work on all the WS commands and features which are useful in customizing the SAP screens. To execute the commands on Server, you also need to install Liquid UI Server.

WS commands lets you add new screen elements, change the position and size of the existing SAP screen elements, delete the screen elements. You can also automate the process via scripts, functions, batch files, perform advanced administrative functions and troubleshoot to solve the SAP GUI issues.

The below list is presented in the alphabetical order and will specify in which interface each command is supported. Each interface will be specified as 'Yes' or 'No' for each individual command. The chart is based on the 1.2.353.0 WS release and is as follows.

**Note:** Not all options for every command will be supported on all platforms.

<b>WS Command / System variable</b>	<b>SAP GUI</b>	<b>Web Server</b>	<b>Liquid UI Server</b>
<a href="#">appendfile()</a>	Yes	Yes	Yes
<a href="#">applyguiscript()</a>	Yes	No	No
<a href="#">_ashost</a>	Yes	No	No
<a href="#">box()</a>	Yes	Yes	Yes
<a href="#">boxsize()</a>	Yes	Yes	Yes
<a href="#">buttonsize()</a>	Yes	Yes	Yes
<a href="#">_blackbox</a>	Yes	Yes	Yes
<a href="#">_builddate</a>	Yes	Yes	Yes
<a href="#">call()</a>	Yes	Yes	Yes
<a href="#">checkbox()</a>	Yes	Yes	Yes
<a href="#">clearscreen()</a>	Yes	Yes	Yes
<a href="#">closefile()</a>	Yes	Yes	Yes
<a href="#">column()</a>	Yes	No	Yes
<a href="#">columnheader()</a>	Yes	No	No
<a href="#">columnorder()</a>	Yes	Yes	Yes
<a href="#">columnsize()</a>	Yes	Yes	Yes
<a href="#">columnwidth()</a>	Yes	Yes	Yes
<a href="#">comment()</a>	Yes	Yes	Yes
COM Control	Yes	No	No
<a href="#">connectHTML()</a> - Work in progress	-	-	-
<a href="#">copytext()</a>	Yes	Yes	Yes
<a href="#">_client</a>	Yes	Yes	Yes
<a href="#">_clientedition</a>	Yes	Yes	Yes
<a href="#">_clipboard</a>	Yes	Yes	Yes
<a href="#">_connectiondata</a>	No	Yes	Yes
<a href="#">_cursorcolname</a>	Yes	Yes	Yes
<a href="#">_cursorcoltechname</a>	Yes	Yes	Yes
<a href="#">_cursorfieldname</a>	Yes	Yes	Yes

# WS Introduction

<a href="#">_cursorfieldtechname</a>	Yes	Yes	Yes
<a href="#">e</a>			
<a href="#">_cursorrow</a>	Yes	Yes	Yes
<a href="#">_cursortabname</a>	Yes	Yes	Yes
<a href="#">_cursortabtechname</a>	Yes	Yes	Yes
<a href="#">del()</a>	Yes	Yes	Yes
<a href="#">dropdownlist() (combobox)</a>	Yes	No	Yes
<a href="#">_database</a>	Yes	Yes	Yes
<a href="#">_directoryN</a>	Yes	Yes	Yes
<a href="#">_dynpro</a>	Yes	Yes	Yes
<a href="#">enable()</a> - Work in progress	-	-	-
<a href="#">enter()</a>	Yes	Yes	Yes
<a href="#">_eventid</a>	Yes	Yes	Yes
<a href="#">fieldsize()</a>	Yes	Yes	Yes
<a href="#">file()</a> - Work in progress	-	-	-
<a href="#">getfieldattribute()</a>	Yes	Yes	Yes
<a href="#">gettableattribute()</a>	Yes	Yes	Yes
<a href="#">globaltextreplace()</a>	Yes	Yes	Yes
goto - label	Yes	Yes	Yes
<a href="#">_guixtsjs</a>	Yes	Yes	Yes
<a href="#">_guixtdll</a>	Yes	Yes	Yes
HTML5 Compatibility	No	Yes	Yes
<a href="#">htmlnode()</a> - Work in Progress	No	Yes	No
<a href="#">_hostname</a>	Yes	Yes	Yes
<a href="#">image()</a>	Yes	No	No
<a href="#">inputfield()</a>	Yes	Yes	Yes
<a href="#">leave()</a>	Yes	Yes	Yes
<a href="#">linerecordsplit()</a>	Yes	Yes	Yes
<a href="#">link()</a> - Work in progress	-	-	-
<a href="#">load()</a>	Yes	Yes	Yes
<a href="#">localvaluehelp()</a>	Yes	No	No
<a href="#">_language</a>	Yes	Yes	Yes
<a href="#">_last_fcode</a>	Yes	Yes	Yes
<a href="#">_listfirstvisiblecol</a>	Yes	Yes	Yes
<a href="#">_listlastvisiblecol</a>	Yes	Yes	Yes
<a href="#">_listline</a>	-	-	-
<a href="#">_listdatawidth</a>	Yes	Yes	Yes
<a href="#">_listtotalwidth</a>	Yes	Yes	Yes
<a href="#">_listfirstvisiblerow</a>	Yes	Yes	Yes
<a href="#">_listlastvisiblerow</a>	Yes	Yes	Yes
<a href="#">_liststring</a>	Yes	Yes	Yes
<a href="#">_log</a>	Yes	Yes	Yes
<a href="#">message()</a>	Yes	Yes	Yes
<a href="#">_message</a>	Yes	Yes	Yes

# WS Introduction

<a href="#">_msgno</a>	Yes	Yes	Yes
<a href="#">_msgtype</a>	Yes	Yes	Yes
<a href="#">_msgid</a>	Yes	Yes	Yes
<a href="#">nodropdownlist()</a> -	-	-	-
Work in progress			
<a href="#">noinput()</a>	Yes	Yes	Yes
<a href="#">noscrollbar()</a>	Yes	Yes	Yes
<a href="#">_notificationID</a>	Yes	Yes	Yes
<a href="#">onmessage</a>	Yes	Yes	Yes
<a href="#">onscreen()</a>	Yes	Yes	Yes
<a href="#">onUIEvents()</a>	Yes	Yes	Yes
<a href="#">openfile()</a>	Yes	Yes	Yes
<a href="#">pos()</a>	Yes	Yes	Yes
<a href="#">pushbutton()</a>	Yes	Yes	Yes
<a href="#">_page.exists</a>	Yes	Yes	Yes
<a href="#">_program</a>	Yes	Yes	Yes
<a href="#">radiobutton()</a>	Yes	Yes	Yes
<a href="#">readfile()</a>	Yes	Yes	Yes
<a href="#">reenter()</a> - Work in progress	-	-	-
<a href="#">removefile()</a>	Yes	Yes	Yes
<a href="#">return()</a>	Yes	Yes	Yes
<a href="#">returnvalues()</a> -	-	-	-
Work in progress			
<a href="#">rfconnect</a> - Work in progress	-	-	-
<a href="#">rfconnect-parameters</a> - Work in progress	-	-	-
<a href="#">set()</a>	Yes	Yes	Yes
<a href="#">setcursor()</a>	Yes	No	No
<a href="#">ShellExecutet()</a> -	-	-	-
Work in progress			
<a href="#">sort</a>	Yes	No	No
<a href="#">start</a>	Yes	No	No
<a href="#">statusmessage()</a>	Yes	Yes	Yes
<a href="#">switchto</a>	Yes	Yes	Yes
<a href="#">system.queryExists()</a> -	-	-	-
- Work in progress			
<a href="#">_sapgui_version</a>	Yes	Yes	Yes
<a href="#">_sapgui_patch</a>	Yes	Yes	Yes
<a href="#">_sessioncount</a>	Yes	Yes	Yes
<a href="#">table()</a>	Yes	Yes	Yes
<a href="#">tablewidth()</a>	Yes	Yes	Yes
<a href="#">text()</a>	Yes	Yes	Yes
<a href="#">textbox()</a>	Yes	Yes	Yes
<a href="#">textreplace</a>	Yes	Yes	Yes
<a href="#">tip()</a>	Yes	Yes	Yes
<a href="#">title()</a>	Yes	Yes	Yes

# WS Introduction

<a href="#">toMultiByte()</a>	Yes	No	Yes
<a href="#">toUTF8()</a>	Yes	No	Yes
<a href="#">_tabcol</a>	Yes	Yes	Yes
<a href="#">_tabrow</a>	Yes	Yes	Yes
<a href="#">_tabrowabs</a>	Yes	Yes	Yes
<a href="#">_title</a>	Yes	Yes	Yes
<a href="#">_transaction</a>	Yes	Yes	Yes
<a href="#">usecss()</a>	No	Yes	No
<a href="#">usejs()</a>	No	Yes	No
<a href="#">_user</a>	Yes	Yes	Yes
<a href="#">versionnumber()</a>	Yes	Yes	Yes
<a href="#">view()</a>	Yes	No	Yes
<a href="#">_version</a>	Yes	Yes	Yes
<a href="#">windowsize()</a>	Yes	Yes	Yes
<a href="#">_windowsize</a>	Yes	Yes	Yes
<a href="#">ws&lt;command&gt;()</a>	Yes	No	No
<a href="#">wscurl</a>	Yes	No	No
<a href="#">wsmessage()</a> - Work in progress	-	-	-
<a href="#">wsodbc</a>	Yes	Yes	Yes
<a href="#">ws_log</a>	Yes	No	No
<a href="#">ws_WS</a>	Yes	No	No
<a href="#">ws_vap</a>	Yes	No	No
<a href="#">#include</a> - Work in progress	-	-	-

Unique solution ID: #2261  
Author: sarvani.kusuri@guixt.com  
Last update: 2019-08-26 13:07